Contract No.: DAWS01-95-D-0029

MPR Reference No.: 8574-003

# 1998 Health Care Survey of DoD Beneficiaries:

Summary Report on Catchment Areas For Region 12

September 1999

#### Submitted to:

United Healthcare Global Consulting 12125 Technology Drive Eden Prairie, MN 55343 (612) 833-7149

Project Officer: Mary Zastrow

#### Submitted by:


Mathematica Policy Research, Inc. 600 Maryland Ave., SW, Suite 550 Washington, DC 20024-2512 (202) 484-9220

Project Director: Myles Maxfield

1998 ANNUAL HEALTH CARE SURVEY OF DOD BENEFICIARIES	
PAGE IS INTENTIONALLY LEFT BLANK TO ALLOW FOR DOUBLE-SIDED COPYING	

# **Acknowledgments**

This report was prepared by Mathematica Policy Research, Inc., under subcontract to United Healthcare. The survey was conducted by Data Recognition Corporation, also under subcontract to United Healthcare. Both efforts were conducted under D/SSIDOMS Contract No. DAWS01-95-D-0029 with the TRICARE Management Activity (TMA), Office of the Assistant Secretary of Defense (Health Affairs), U.S. Department of Defense. The authors are grateful for the management and technical guidance of LTC Thomas Williams and Pat Golson of TMA. Errors and omissions are the responsibility of the authors.



# **Contents**

Chapter		Page
	Exhibits	VII
	Acronyms	IX
	Executive Summary	XI
1	Introduction	1
	Overview of the Health Care Survey of DoD Beneficiaries (HCSDB)	
	The HCSDB in Context with Other MHS Surveys	2
	Available Reports Based on the 1998 HCSDB	
	- Sample Selection, Fielding of the Survey, and Response Rates	
	- Questionnaire Topics	
	Statistical Issues	
	Guide to Understanding the Survey Findings  Performance Standards	
2	Satisfaction with TRICARE	
3	Knowledge of and Satisfaction with Health Plan	11
4	Access to Health Care	15
5	Health Status and Health Care Use	21
6	Use of Preventive Services	27
7	Performance Improvement Plans	35

1998 ANNUAL HEALTH CARE SURVEY OF DOD BENEFICIARIES
PAGE IS INTENTIONALLY LEFT BLANK TO ALLOW FOR DOUBLE-SIDED COPYING

# **Exhibits**

Chap	ter		Page
2	Satis	sfaction with TRICARE	7
	2.1	Average Ratings of Personal Doctor or Nurse, by Enrollment Status	8
	2.2	Average Ratings of Military and Civilian Treatment Facilities, by Enrollment Status	9
	2.3	Satisfaction with Military and Civilian Care	10
3	Knowl	edge of and Satisfaction with Health Plan	11
	3.1	Intention to Enroll in or Disenroll from TRICARE Prime, Non-Active Duty Beneficiaries	12
	3.2	Enrollees' Ratings of TRICARE Prime	13
	3.3	Beneficiaries Reporting No Understanding of TRICARE	14
4	Acces	s to Health Care	15
	4.1	Waiting Period for Well-Patient Visits, by Enrollment Status and Type of Facility	17
	4.2	Waiting More Than 30 Minutes in Doctor's Office or Clinic, by Enrollment Status and Type of Facility	18
	4.3	Problems Getting Referrals to Specialists, by Type of Health Plan	19
	4.4	Problems Getting Necessary Care, by Type of Health Plan	20
5	Health	Status and Health Care Use	21
	5.1	Physical and Mental Health Status of Beneficiaries in Region 12 Relative to the U.S. Population	23
	5.2	Population with One or More Visits to a Military or Civilian Emergency Room, by Enrollment Status	24
	5.3	Use of Military Pharmacies to Fill Prescriptions Written by a Civilian Provider, by Type of Beneficiary	25
6	Use of	Preventive Services	27
	6.1	Timing of First Prenatal Care	29
	6.2	Breast Cancer Screening in the Past 2 Years	30
	6.3	Cervical Cancer Screening in the Past 3 Years, by Enrollment Status	31
	6.4	Hypertension Screening in the Past 2 Years, by Enrollment Status	32
	6.5	Flu Shots Among Population Age 65 and Over in the Past 12 Months	33
	6.6	Prostate Disease Screening in the Past 12 Months, by Enrollment Status	34

7	Perfor	mance Improvement Plans	35
	7.1	Tripler Army Medical Center	36
	7.2	Naval Medical Clinic, Pearl Harbor	37
	7.3	Hickam Air Force Base	38
	74	LLS, Coast Guard Clinic, Honolulu	30

# **Acronyms**

ACH Army Community Hospital

AFB Air Force Base

AHC Army Health Clinic

AMC Army Medical Center

BRMCL Branch Medical Clinic

CAHPS Consumer Assessment of Health Plans

Study

CONUS Continental United States, Alaska, and

Hawaii

CTF Civilian Treatment Facility

DEERS Defense Enrollment Eligibility Reporting

System

DOD Department of Defense

ER Emergency Room

HCSDB Health Care Survey of DoD Beneficiaries

HEAR Health Enrollment/Evaluation

Assessment Review

MHS Military Health System

MTF Military Treatment Facility

NACC Naval Ambulatory Care Center

NH Naval Hospital

NMC Naval Medical Center

NMCL Naval Medical Clinic

NNMC National Naval Medical Center

OCONUS Outside Continental United States

(except Alaska and Hawaii)

PCM Primary Care Manager

PIP Performance Improvement Plan

TRICARE Tri-Service Health Care

TMA TRICARE Management Activity

1998 ANNUAL HEALTH CARE SURVEY OF DOD BENEFICIARIES
PAGE IS INTENTIONALLY LEFT BLANK TO ALLOW FOR DOUBLE-SIDED COPYING

# **Executive Summary**

The Health Care Survey of DoD Beneficiaries (HCSDB) is a large-scale survey of military health system (MHS) beneficiaries conducted annually by the Office of the Assistant Secretary of Defense/TRICARE Management Activity (TMA). It was congressionally mandated under the National Defense Authorization Act for fiscal year 1993 (P.L. 102-484) to ensure that the satisfaction of MHS beneficiaries with their health plan and health care would be regularly monitored. The survey was first fielded in 1995.

This report presents the 1998 survey findings for the Region 12 catchment areas. The purpose of the 1998 HCSDB was to address a wide range of issues concerning MHS beneficiaries' satisfaction with their health care. The following are the key research questions behind the survey design:

- How satisfied are DoD beneficiaries with their health care and their health plan?
- How does overall satisfaction with military treatment facilities (MTFs) compare with satisfaction with civilian treatment facilities (CTFs)?
- Does access to military and civilian facilities meet TRICARE standards?
- Do beneficiaries understand TRICARE?
- Is beneficiaries' use of preventive health care services in line with national goals, such as those outlined in *Healthy People 2000*?
- What is the general physical and mental health status of MHS beneficiaries?
- Has beneficiaries' use of MHS services changed over time?
- What aspects of MHS care contribute most to beneficiary satisfaction with their health care experiences? With which aspects are beneficiaries least satisfied?
- What are the demographic characteristics of MHS beneficiaries?

The sample for the HCSDB was drawn from the Defense Enrollment Eligibility Reporting System (DEERS) database, covering all persons eligible for a MHS benefit on July 29, 1998. In November 1998, 11,613 surveys were mailed to beneficiaries age 65 or over. The first mailing was timed to coincide with the beginning of enrollment in the Medicare Subvention Demonstration. In January 1999, 193,072 surveys were mailed to beneficiaries under age 65. In March 1999, a second wave of surveys was sent to all beneficiaries who had not returned the questionnaire. In total, 70,690 surveys were completed and returned by the due date of June 11, 1999, for an overall response rate of 35 percent.

The total Region 12 sample included 5,157 adults. Overall, 1,845 Region 12 MHS beneficiaries returned completed questionnaires by the due date, for a response rate of 36.8 percent.

# **Summary of Noteworthy Findings**

#### **Satisfaction with TRICARE**

#### Personal Doctors, Nurses, and Primary Care Managers (PCMs)

When asked to rate their personal doctors on a scale from 0 to 10, non-active duty TRICARE Prime enrollees gave their PCMs ratings that ranged from 7.6 out of catchment area for civilian PCMs to 8.7 at Hickam AFB for military PCMs. Non-active duty enrollees' regional averages were 7.8 for civilian PCMs and 8.3 for military PCMs. Active duty ratings of military PCMs did not vary significantly, and averaged 8.0.

#### Military and Civilian Facilities

- Active duty enrollees' ratings of MTF care ranged from 6.7 at NMCL Pearl Harbor to 7.4 at USCG Clinic Honolulu, compared to the Region 12 average of 6.8.
- In Region 12 overall, but not in all catchment areas, beneficiaries were more satisfied with CTFs than MTFs. The proportion of beneficiaries satisfied with MTFs ranged from 51 percent out of catchment area to 81 percent at USCG Clinic Honolulu. CTF satisfaction ranged from 58 percent at NMCL Pearl Harbor to 89 percent out of catchment area.

#### TRICARE Prime Enrollment Intentions

In Region 12 overall, 6 percent of non-active duty Prime enrollees with military PCMs planned to disenroll, and 12 percent of non-Prime beneficiaries under age 65 planned to enroll. The planned disenrollment rate was lowest at Hickam AFB (1 percent).

#### Satisfaction with Health Plan

Ratings of the TRICARE Prime health plan were lower than MTF or PCM ratings. Ratings were lowest at NMCL Pearl Harbor (6.1) and highest at Tripler AMC (6.8), compared to the Region 12 average of 6.6 and CONUS MHS average of 6.1.

#### Knowledge and Understanding of TRICARE

Understanding of TRICARE varied widely among Region 12 catchment areas. The proportion of beneficiaries reporting "no understanding" of TRICARE ranged from 4 percent at USCG Clinic Honolulu to 36 percent out of catchment area, compared to the regional average of 16 percent.

#### **Access to Health Care**

#### **Waiting Times**

Access to well care is generally high for TRICARE Prime enrollees. At least 90 percent of TRICARE Prime enrollees received well-patient appointments at MTFs within 4 weeks in all catchment areas where rates could be reliably estimated. ■ Twenty-two percent of active duty TRICARE Prime enrollees in Region 12 reported "usually or always" waiting 30 minutes or more past the appointed time at a MTF. Among active duty enrollees, long waits at MTFs were rarest at Hickam AFB (12 percent).

#### **Access to Health Care**

- TRICARE Prime enrollees in Region 12, both active duty (16 percent) and non-active duty (13 percent), reported having a "big problem" getting referrals to specialists more often than did beneficiaries with Medicare (6 percent) or "other insurance" (5 percent). Prime enrollees in Region 12 reported fewer "big problems" than did their active duty (27 percent) and non-active duty (20 percent) peers in CONUS MHS.
- Seven percent of active duty and 5 percent of non-active duty TRICARE Prime enrollees in Region 12 reported a "big problem" getting needed care. Problem rates for active duty enrollees ranged from 0 percent at USCG Clinic Honolulu to 10 percent at NMCL Pearl Harbor.

#### **Health Status and Health Care Use**

#### **Physical and Mental Health**

Beneficiaries in Region 12 are in similar physical and better mental health compared with the general U.S. population. Approximately half of Region 12 beneficiaries scored below the 50th percentile of the U.S. population in physical health (48 percent). Fewer than half had low mental health scores (35 percent). Mental health scores did not vary significantly among catchment areas. Beneficiaries living out of catchment area are in significantly better physical health (39 percent) than their peers in Region 12 and the U.S. population.

#### **Emergency Room Use**

TRICARE Prime enrollees in Region 12, both active duty (4 percent) and non-active duty (6 percent) were less likely to have a CTF emergency room visit than were their peers in CONUS MHS (6 percent and 10 percent, respectively), though their MTF emergency room use was similar. Among non-active duty enrollees, those at AMC Tripler were most likely to have a MTF emergency room visit (25 percent).

#### **Use of Military Pharmacies**

■ In Region 12, retirees, survivors and dependents age 65 or over (12 percent) and under age 65 (8 percent) were the beneficiary groups most likely to have filled 7 or more civilian prescriptions at military pharmacies. The 65 and over group was less than half as likely to rely on military pharmacies to fill civilian prescriptions as their peers in CONUS MHS (27 percent).

#### **Use of Preventive Services**

- Most catchment areas, for which reliable rates could be estimated, met or exceeded Healthy People 2000 goals for prenatal care, breast and cervical cancer screening, hypertension screening, and flu immunization.
- Ninety-three percent of pregnant women reported first trimester prenatal care. Only Tripler
   AMC (92 percent) had a large enough sample for a reliable catchment-specific estimate.
- Breast cancer screening rates were 87 percent at Tripler AMC and 80 percent out of catchment area, exceeding the Healthy People 2000 goal of 60 percent at the only sites with large enough samples to estimate rates reliably.
- In all catchment areas where Pap smear rates could be reliably estimated, rates for women enrolled in TRICARE Prime met or exceeded the Healthy People 2000 goal of 85 percent. One hundred percent of active duty women at Hickam AFB reported receiving Pap smears.
- The proportion of TRICARE Prime enrollees who were tested in the past two years and knew whether their blood pressure was high ranged from 87 percent of active duty enrollees with military PCMs at NMCL Pearl Harbor to 99 percent of non-active duty enrollees with civilian PCMs living out of catchment area.
- Beneficiaries at both sites for which rates could be estimated reliably exceeded the Healthy People 2000 flu immunization goal of 60 percent. Flu shot rates were 72 percent at Tripler AMC and 66 percent out of catchment area.
- Among men age 50 or over, prostate screening rates in Region 12 ranged from 40 percent of non-Prime beneficiaries under age 65 to 65 percent of non-Prime beneficiaries age 65 or over. Sixty-four percent of non-active duty enrollees were screened.

#### **Performance Improvement Plan**

The Performance Improvement Plan (PIP) analysis highlights the features of MHS health care that, if improved, can lead to greater beneficiary satisfaction. This year's HCSDB revealed that the following aspects of care were critical to overall beneficiary satisfaction in Region 12 but nevertheless received relatively low satisfaction ratings:

- Access to health care
- Access to specialists
- Ability to diagnose health care problems
- Thoroughness of treatment
- Provider's explanation of procedures



### Introduction

#### Overview of the Health Care Survey of DoD Beneficiaries (HCSDB)

The HCSDB is a large-scale survey of military health system (MHS) beneficiaries conducted annually by the Office of the Assistant Secretary of Defense/TRICARE Management Activity (TMA). It was congressionally mandated under the National Defense Authorization Act for fiscal year 1993 (P.L. 102-484) to ensure that the satisfaction of MHS beneficiaries with their health plan and health care would be regularly monitored. The survey was first fielded in 1995.

#### **Research Objective**

The purpose of the 1998 HCSDB was to address a wide range of issues concerning MHS beneficiaries' satisfaction with their health care. This report presents findings from the survey. The exhibits address the following key research questions.

- How satisfied are MHS beneficiaries with their health care and their health plan?
- How does overall satisfaction with military treatment facilities (MTFs) compare with satisfaction with civilian treatment facilities (CTFs)?
- Does access to military and civilian facilities meet TRICARE standards?
- Do beneficiaries understand TRICARE?
- Is beneficiaries' use of preventive health care services in line with national goals, such as those outlined in *Healthy People 2000*?
- What is the general physical and mental health status of MHS beneficiaries?
- What aspects of MHS care contribute most to beneficiary satisfaction with their health care experiences? With which aspects are beneficiaries least satisfied?

#### The HCSDB in Context with Other MHS Surveys

DoD conducts a number of consumer surveys related to the health and health care of MHS beneficiaries. However, only the HCSDB represents *all* MHS beneficiaries in the continental U.S., Alaska, and Hawaii (CONUS), and in Europe, Latin America, and Asia (OCONUS). It is also the only survey that reflects health care experiences at *both* MTFs and CTFs over a full 12-month period. Furthermore, no other DoD health-related survey collects information on the opinions and experiences of the overall MHS population, including active duty personnel and their families, retirees and their dependents, TRICARE Prime enrollees, Medicare beneficiaries, and MHS beneficiaries who chiefly rely on civilian providers and facilities despite having TRICARE benefits.

Other relevant DoD surveys include:

- Health Enrollment/Evaluation Assessment Review (HEAR). HEAR is a clinically oriented questionnaire completed by beneficiaries as they enroll in TRICARE Prime. The collection of health assessment data identifies individuals who have high risk factors for diseases, chronic conditions, and assesses the need for preventive or other medical services.
- MTF Customer Satisfaction Survey. This survey is mailed monthly to patients who were seen in the previous month at a MTF or freestanding clinic in the United States and Europe. The survey measures satisfaction with services received during a specific outpatient visit. Monthly reporting allows MTFs to be directly compared over time, with each other, and with civilian benchmarks.
- Survey of Health-Related Behaviors among Military Personnel. Conducted approximately every three years, this survey collects worldwide data only from active duty personnel on drug and alcohol use, fitness and cardiovascular disease risks, mental health, risk of injury, and other health-related behaviors.

#### Available Reports Based on the 1998 HCSDB

This report presents the HCSDB results for individual catchment areas in Region 12. This catchment area report is one of four types of reports published from the 1998 HCSDB. The following four types of reports are based on the 1998 HCSDB. The reports can be obtained via the TRICARE website at http://www.TRICARE.OSD.mil.

Key Findings for Regions: The 15 regional reports summarize selected 1998 HCSDB findings. There is a report for each region in CONUS and one for each overseas region. Regions 7 and 8 have a combined report. The regional reports are identical in design. Each contains 24 bar graphs, or exhibits, that show the survey findings for a given region. Findings are reported for active and non-active duty MHS beneficiaries who were enrolled in TRICARE Prime and MHS beneficiaries not participating in a TRICARE Prime heath plan. Findings are also reported by age group (under age 65 or age 65 and over), type of primary care manager (PCM), and type of facility (military vs. civilian). Some exhibits also show comparisons of regional findings to overall CONUS MHS findings and to other regional findings. Lead Agents are encouraged to share this report with their staff members, MTF commanders, and other relevant officers with management responsibilities.

- National Executive Summary Report: This year's National Executive Summary Report of the HCSDB findings is the first of its kind. It mirrors the regional reports in design but covers the survey findings for all MHS beneficiaries residing within CONUS.
- Summary Reports on Catchment Areas: There are 15 catchment area reports. There is one for each region. The catchment reports are intended to give MTF commanders information specific to their particular catchment area. Similar to the regional reports, the catchment reports focus principally on active and non-active duty MHS beneficiaries enrolled in TRICARE Prime and MHS beneficiaries not participating in a TRICARE Prime heath plan. Catchment findings are also presented by age group (under age 65 or age 65 and over), type of PCM, and type of facility (military vs. civilian).
- Medicare Subvention Demonstration Report: The Medicare Subvention Demonstration has been sponsored by TRICARE and the Health Care Financing Administration to test a new system for financing health care for military retirees and their dependents age 65 and over. Elderly beneficiaries in seven demonstration areas are eligible to participate in a TRICARE Senior Prime plan. This year's Medicare Subvention Demonstration Report presents baseline findings for MTFs participating in the demonstration. Exhibits in the report display beneficiaries' demographic characteristics, health status, health care utilization, health plan enrollment, knowledge of TRICARE, and satisfaction with military and civilian health care. Findings are presented for beneficiaries age 65 or over and under age 65 in each demonstration area and for beneficiaries age 65 or over in MHS areas that are not participating in the demonstration.

#### Methodology

#### Sample Selection, Fielding of the Survey, and Response Rates

The sample for the HCSDB was drawn from the Defense Enrollment Eligibility Reporting System (DEERS) database, which covered all persons eligible for a MHS benefit on July 29, 1998, including personnel activated for more than 30 days in the Army, Air Force, Navy, Marine Corps, Coast Guard, Commissioned Corps of the Public Health Service, National Oceanic and Atmospheric Administration, and National Guard or Reserve as well as other special categories of people who qualify for health benefits. DEERS covers active duty personnel and their families as well as retirees and their families.

In November 1998, 11,613 surveys were mailed to beneficiaries age 65 or over. In January 1999, 193,072 surveys were mailed to beneficiaries under age 65. The first mailing was timed to coincide with the beginning of enrollment in the Medicare Subvention Demonstration. In March 1999, a second wave of surveys was sent to all beneficiaries who had not returned the questionnaire. In total, 70,690 surveys were completed and returned by the due date of June 11, 1999, for an overall response rate of 35 percent.

The total Region 12 sample included 5,157 adults. Overall, 1,845 MHS beneficiaries returned completed questionnaires by the due date, for a response rate of 36.8 percent.

#### **Questionnaire Topics**

The HCSDB questionnaire was revised in 1998. A copy of the questionnaire, located in the back pocket of this binder, is also available at the TRICARE web site, <a href="http://www.TRICARE.OSD.mil">http://www.TRICARE.OSD.mil</a>. In 1998, some questions from earlier surveys were dropped, other questions were revised, and, for the first time, the survey included or adapted questions from the federally developed Consumer Assessment of Health Plans Study (CAHPS). CAHPS contains core and supplemental survey questions that are widely used by commercial health plans, the Health Care Financing Administration, state Medicaid programs, and other organizations to assess consumer satisfaction with their health coverage. CAHPS questions will ultimately allow us to compare the satisfaction of MHS beneficiaries with other insured populations.

The 1998 HCSDB covered a wide range of topics in the following nine sections:

- Use of Health Care. Focuses on the use of MTFs and CTFs in the past 12 months, including number of nights in an inpatient facility, outpatient visits, emergency room visits, and use of military pharmacies to fill prescriptions written by civilian providers.
- Preventive Health Care. Concerns beneficiaries' receipt of preventive services including prenatal care; flu shots; and screening for breast cancer, cervical cancer, hypertension, and prostate disease.
- Understanding TRICARE. Explores beneficiaries' understanding of TRICARE overall and of specific features of TRICARE Prime, Senior Prime, and Extra/Standard.
- **Health Plan**. Concerns enrollment in TRICARE Prime, Senior Prime, and Extra/Standard, coverage by supplemental insurance, attitudes toward Prime and Senior Prime, and out-of-pocket-costs.
- Satisfaction with Health Plan. Explores beneficiaries' experiences with the health plan they use the most; covers experiences with their personal doctor or nurse (including a PCM), specialty care, customer service, claims processing, and resolution of complaints or problems.
- Access to Health Care. Focuses on waiting times for well-patient, minor illness, and specialty care; access to emergency care, experiences calling for appointments and with long waits in office or clinic waiting rooms.
- Satisfaction with Health Care. Explores a wide range of indicators of beneficiaries' satisfaction with the health care they received in the past 12 months at the facility they used most often. Topics include getting help or advice via the telephone, getting care when needed, attitudes of doctor's office and clinic staff, and quality of care.
- Your Health. Uses the SF-12, a well-regarded multipurpose series of 12 questions that provides a generic measure of health status.
- Facts about You. Covers basic demographic information for beneficiaries, including income, marital status, age, education, and race/ethnicity.

#### Statistical Issues

#### **Accuracy of the Survey Estimates**

The results of any survey are not strictly precise. The statistics presented in this report are *estimates* of the true answers to the research questions, both because the survey is based on a sample, rather than on a census, of the entire DEERS population, and because some of the surveyed beneficiaries chose not to respond. In accordance with standard statistical practice, the survey estimates have been weighted to ensure that the survey findings represent all MHS beneficiaries. The survey design also allows us to evaluate the precision of the estimates.

The sample size of some small groups of MHS beneficiaries, such as pregnant women in a particular catchment area, may make it impossible to develop a reliable estimate of the group's survey response. In this report, any cell meeting one of the following conditions is defined as a small cell: (1) the overall population count for the cell is under 200, (2) the number of completed questionnaires in the cell is less than 20, or (3) the cell contains an estimated proportion greater than 10 percent, but the standard error is more than 30 percent of the estimate. For these cases, estimates are not provided, but are replaced by two asterisks (\*\*).

#### Case-Mix Adjustment

Some regional estimates in the regional and national HCSDB reports were adjusted to control for differences in the age and health status of the regions' beneficiary populations. This adjustment allows for "fairer" comparisons between regions. For instance, health status and age are often associated with patient reports about the quality of their health care. Compared with survey respondents in good health, survey respondents in poor health typically say they are less satisfied with the health care they receive. Older persons often report greater satisfaction with their health care than younger persons do. Thus, without adjustments for age and health status, regional differences in the survey estimates may actually reflect significant differences in the makeup of the population, such as a high proportion of retirees, rather than real variation in satisfaction with health care. There are no case mix adjustments in the catchment area report.

#### **Guide to Understanding the Survey Findings**

#### **Outcome and Explanatory Variables**

The research questions that underlie the HCSDB, outlined on page 1 of this report, are key to understanding the survey findings presented in this report. These questions imply two types of basic, analytic variables: dependent, or *outcome*, variables and independent, or *explanatory* variables. Outcome variables are beneficiaries' responses to the various survey questions on satisfaction, health care access, knowledge of TRICARE, use of health care, preventive services, etc. Explanatory variables, such as enrollment in Prime or type of facility, may help to explain some of the variation in responses given by different groups of beneficiaries.

For example, Exhibit 2.1 shows how different groups of MHS beneficiaries in Region 12 catchment areas rate their personal doctors. The exhibit addresses the question, "How do beneficiaries' ratings of their personal doctors and primary care managers (PCMs) (the outcome variables) differ by beneficiary category and type of PCM (the explanatory variables)?" In other words, is enrollment in TRICARE Prime or type of PCM related in some way to beneficiaries' level of satisfaction?

It is important to recognize that while some survey findings may *suggest* important differences in outcomes for different groups of MHS beneficiaries, one cannot conclude that these differences would persist after controlling for possible confounding variables not accounted for in the analysis, such as age, health status, sex, race and ethnicity, and others. More sophisticated statistical

techniques, such as multivariate analysis, can yield more definitive conclusions about the possible impact of any one "explanatory" variable on a particular outcome.

#### **Exhibits**

Most of the exhibits in this report, except for the performance improvement plans in chapter 7, are presented as tables. Some are presented as bar graphs. In the bar graphs, the outcome variables are represented by the vertical, or Y, axis. The explanatory variables are represented by the horizontal, or X, axis. For instance, in 2.3, the height of a bar represents the percentage of beneficiaries who agree or strongly agree with the statement, "I am satisfied with the health care that I received at military (or civilian) facilities." The X-axis displays the different catchment areas in the region.

Differences in estimates are not described unless the findings are significantly different (p<0.05).

#### **Performance Standards**

In Chapter 6, Use of Preventive Services, the findings for MHS beneficiaries are compared with the federal government's *Healthy People 2000* goals for improving the nation's health (see *Healthy People 2000 Review 1997*, DHHS Publication No. PHS 98-1256). Since national goals for prostate disease screening have not been established, Exhibit 6.6 refers to the relevant American Cancer Society recommendation.



### Satisfaction with TRICARE

This chapter focuses on two critical indicators of MHS beneficiary satisfaction with TRICARE health care: satisfaction with one's personal doctor or nurse, including PCMs, and satisfaction with health care facilities (military or civilian). Information on these indicators is derived from the answers to two sets of HCSDB survey questions:

- The first set of questions is new to the HCSDB. The questions in this set ask respondents to rate their personal doctor, nurse, PCM, or the facility they used the most "from 0 to 10 where 0 is the worst and 10 is the best". Results are reported in Exhibits 2.1 and 2.2.
- The second set of questions has been used in HCSDB surveys for several years. Questions in this set ask respondents how much they agree or disagree with the statement, "I am satisfied with the health care that I received at military (or civilian) facilities." Results are reported in Exhibit 2.3.

#### **Key Findings**

#### Personal Doctors, Nurses, and PCMs

When asked to rate their personal doctors on a scale from 0 to 10, non-active duty TRICARE Prime enrollees gave their PCMs ratings that ranged from 7.6 out of catchment area for civilian PCMs to 8.7 at Hickam AFB for military PCMs. Non-active duty enrollees' regional averages were 7.8 for civilian PCMs and 8.3 for military PCMs. Active duty ratings of military PCMs did not vary significantly, and averaged 8.0.

#### Military and Civilian Facilities

- Active duty enrollees' ratings of MTF care ranged from 6.7 at NMCL Pearl Harbor to 7.4 at USCG Clinic Honolulu, compared to the Region 12 average of 6.8.
- In Region 12 overall, but not in all catchment areas, beneficiaries were more satisfied with CTFs than MTFs. The proportion of beneficiaries satisfied with MTFs ranged from 51 percent out of catchment area to 81 percent at USCG Clinic Honolulu. CTF satisfaction ranged from 58 percent at NMCL Pearl Harbor to 89 percent out of catchment area.

# 2.1 Average Ratings of Personal Doctor or Nurse, by Enrollment Status

Q.52: How do you rate your personal doctor or nurse now? (Using a scale from 0 to 10 where 0 is the worst and 10 is the best).

		Average Rating						
Catchment Area (DMIS Code)	Population	Enrolle	d in Prime under	Not enrolled in Prime				
		Active Duty Military PCM	Non-Active Duty Military PCM	Non-Active Duty Civilian PCM	Under age 65	Age 65 or over		
Tripler AMC (0052)	37,934	8.0	8.2	7.9	8.6	9.1		
NMCL Pearl Harbor (0280)	1,830	8.3	**	**	**	**		
Hickam AFB (0287)	1,946	8.2	8.7	**	**	**		
USCG Clinic Honolulu (7043)	261	**	**	**	**	**		
Out of catchment area (9912)	3,239	**	**	7.6	8.5	8.9		
Region 12	45,210	8.0	8.3	7.8	8.6	9.1		
CONUS MHS	3,437,063	7.7	8.1	7.7	8.3	8.7		

#### Population:

Beneficiaries with a personal doctor or nurse (including a PCM)

#### What the exhibit shows:

- How beneficiaries rate their personal doctor or nurse
- How TRICARE Prime enrollees rate their PCM
- If some groups of beneficiaries in Region 12 catchment areas are more satisfied with their PCM, personal doctor, or nurse than others
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

Region 12 ratings of personal doctors or nurses ranged from 7.8 by non-active duty Prime enrollees with civilian PCMs to 9.1 by non-Prime beneficiaries age 65 and over. Non-active duty enrollees rated military PCMs 8.3, and active duty enrollees rated them 8.0.

There was no significant variation in PCM ratings by active duty enrollees.

Non-active duty enrollees' ratings ranged from 7.6 for civilian PCMs out of catchment area to 8.7 for military PCMs at Hickam AFB.

# 2.2 Average Ratings of Military and Civilian Treatment Facilities, by Enrollment Status

Q.96: How do you rate all your health care from the facility you used most in the last 12 months? (Using a scale from 0 to 10 where 0 is the worst and 10 is the best).

Catchment Area (DMIS Code)									
	Population	Enr	olled in Prin	ne under ag	e 65	Not enrolled in Prime			
		Active Duty		Non-Active Duty		Under age 65		Age 65 or over	
		MTF	CTF	MTF	CTF	MTF	CTF	MTF	CTF
Tripler AMC (0052)	68,739	6.8	**	7.6	7.8	7.2	8.5	9.1	9.1
NMCL Pearl Harbor (0280)	8,819	6.7	**	**	**	**	**	**	**
Hickam AFB (0287)	7,077	7.2	**	7.8	**	**	**	**	**
USCG Clinic Honolulu (7043)	731	7.4	**	**	**	**	**	**	**
Out of catchment area (9912)	3,399	**	**	**	7.7	**	8.0	**	8.8
Region 12	88,765	6.8	**	7.6	7.8	7.2	8.4	9.1	9.1
CONUS MHS	5,080,897	6.5	6.9	7.3	7.6	7.2	8.2	8.7	8.6

#### Population:

Beneficiaries who received care at a MTF or CTF in the past 12 months

#### What the exhibit shows:

- How beneficiaries rate MTFs and CTFs
- If beneficiaries are more or less satisfied with MTFs compared with CTFs
- If some groups of beneficiaries in Region 12 catchment areas are more satisfied with MTFs or CTFs compared with others in the region
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size


#### Findings:

Ratings of care at MTFs ranged from 6.8 by active duty enrollees to 9.1 by non-Prime beneficiaries age 65 and over.

In Region 12, active duty ratings of MTFs ranged from 6.7 at NMCL Pearl Harbor to 7.4 at USCG Clinic Honolulu.

### 2.3 Satisfaction with Military and Civilian Care

Q.99a: How much do you agree or disagree with the statement: "I am satisfied with the health care that I received at military facilities"? Q.103a: How much do you agree or disagree with the statement: "I am satisfied with the health care that I received at civilian facilities"?



#### Population:

Beneficiaries who received care at a MTF or CTF in the past 12 months

#### Sample size:

2,020

#### Vertical axis:

Percent who "agree or strongly agree" that they are satisfied with the health care they received at MTFs or CTFs

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### What the exhibit shows:

- How satisfaction with MTFs and CTFs varies across catchment areas
- Whether beneficiaries are more satisfied with MTFs or CTFs

#### Findings:

The proportion of beneficiaries who were satisfied with care at MTFs ranged from 51 percent out of catchment area to 81 percent at USCG Clinic Honolulu. Satisfaction with CTFs ranged from 58 percent at NMCL Pearl Harbor to 89 percent out of catchment area.

Satisfaction with care at CTFs exceeded satisfaction at MTFs in Region 12 overall (by 9 percentage points), at Tripler AMC (by 11 percentage points) and out of catchment area (by 38 percentage points).



# **Knowledge of and Satisfaction with Health Plan**

This chapter explores MHS beneficiary satisfaction with the health plan they "used the most" in the past 12 months, including TRICARE Prime.

- Exhibit 3.1 shows how non-active duty beneficiaries, currently enrolled in TRICARE Prime responded to the question: "How likely are you to disenroll from TRICARE Prime for a different type of insurance coverage in the next 12 months?" It also shows how non-active duty beneficiaries, *not* currently enrolled in TRICARE Prime responded to the question asking: "How likely are you to enroll in TRICARE Prime in the next 12 months?"
- Exhibit 3.2 shows how enrollees rated TRICARE Prime using a scale "from 0 to 10 where 0 is the worst and 10 is the best."
- Exhibit 3.3 shows how well beneficiaries felt they understood TRICARE in 1997 and 1998.

#### **Key Findings**

#### **TRICARE Prime Enrollment Intentions**

■ In Region 12 overall, 6 percent of non-active duty Prime enrollees with military PCMs planned to disenroll, and 12 percent of non-Prime beneficiaries under age 65 planned to enroll. The planned disenrollment rate was lowest at Hickam AFB (1 percent).

#### Satisfaction with Health Plan

Ratings of the TRICARE Prime health plan were lower than MTF or PCM ratings. Ratings were lowest at NMCL Pearl Harbor (6.1) and highest at Tripler AMC (6.8), compared to the Region 12 average of 6.6 and CONUS MHS average of 6.1.

#### Knowledge and Understanding of TRICARE

Understanding of TRICARE varied widely among Region 12 catchment areas. The proportion of beneficiaries reporting "no understanding" of TRICARE ranged from 4 percent at USCG Clinic Honolulu to 36 percent out of catchment area, compared to the regional average of 16 percent.

# 3.1 Intention to Enroll in or Disenroll from TRICARE Prime, Non-Active Duty Beneficiaries

Q.37: If you are currently enrolled in TRICARE Prime, how likely are you to disenroll from TRICARE Prime for a different type of insurance coverage in the next 12 months?

Q.39: If you are not currently enrolled in TRICARE Prime, how likely are you to enroll in TRICARE Prime in the next 12 months?

Catchment Area (DMIS Code)	Population	Enrolled in Prin	ne under age 65	Not Enrolled in Prime under age 65
		(Percent Intending to Disenroll)		(Percent Intending to Enroll)
		Military PCM	Civilian PCM	
Tripler AMC (0052)	33,878	6.6	**	**
NMCL Pearl Harbor (0280)	378	**	**	**
Hickam AFB (0287)	3,359	0.7	**	**
USCG Clinic Honolulu (7043)	0	**	**	**
Out of catchment area (9912)	1,684	**	**	**
Region 12	39,299	5.8	**	11.9
CONUS MHS	2,539,984	7.2	9.4	9.0

#### Population:

Non-active duty beneficiaries under age 65

#### What the exhibit shows:

- Whether TRICARE Prime enrollees, with the option to disenroll from TRICARE Prime, plan to disenroll
- How likelihood to disenroll from TRICARE Prime varies by type of PCM
- Whether beneficiaries in any catchment areas are more likely to enroll in TRICARE Prime than their counterparts in other catchment areas
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size


#### Findings:

Six percent of active duty enrollees with military PCMs said they plan to disenroll from TRICARE Prime in the next 12 months. Twelve percent of beneficiaries not enrolled in Prime planned to enroll in the next 12 months.

The planned disenrollment rate was lowest at Hickam AFB (1 percent).

# 3.2 Enrollees' Ratings of TRICARE Prime

- Q.50: Which health care plan did you use most in the last 12 months?
- Q.73: We want to know your rating of all your experience with your health plan. How do you rate your health plan now? (Use a scale from 0 to 10 where 0 is the worst and 10 is the best.)



#### Population:

TRICARE Prime enrollees

#### Sample size:

1,228

#### Vertical axis:

Average rating of TRICARE Prime from 0 to 10, where 0 is the worst and 10 is the best

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### What the exhibit shows:

- How TRICARE Prime enrollees rate their experience with TRICARE Prime
- If satisfaction with TRICARE Prime is higher in some catchment areas than in others


#### Findings:

TRICARE Prime enrollees in Region 12 rated their health plan 6.6.

Ratings of TRICARE Prime ranged from 6.1 at NMCL Pearl Harbor to 6.8 at Tripler AMC.

# 3.3 Beneficiaries Reporting No Understanding of TRICARE

#### Q.32: How well do you feel you understand TRICARE overall?



#### Population:

All beneficiaries

#### Sample size:

1,779

#### Vertical axis:

Percent who report "no understanding" of TRICARE Prime

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates that value is suppressed because of insufficient sample size

#### What the exhibit shows:

- The proportion of beneficiaries who report *not* understanding the TRICARE system
- How findings vary across catchment areas

#### Findings:

Overall, 16 percent of Region 12 beneficiaries said they had "no understanding" of TRICARE.

The proportion of beneficiaries reporting "no understanding" of TRICARE ranged from 4 percent at USCG Clinic Honolulu to 36 percent out of catchment area.



### **Access to Health Care**

This chapter presents the findings on access to health care in the MHS. In the HCSDB, access was measured in terms of four basic indicators:

- Waiting period for well-patient appointments—TRICARE standards require that MHS beneficiaries be able to arrange for well-patient appointments in less than 4 weeks. Findings for active duty TRICARE Prime enrollees, non-active duty TRICARE Prime enrollees, and all other beneficiaries are presented by the type of facility they report using most often (MTF or CTF). (See Exhibit 4.1).
- Waiting past one's scheduled appointment time in a doctor's office or clinic—TRICARE standards also require that MHS beneficiaries *not* wait more than 30 minutes past the appointed time in a doctor's office or clinic for a scheduled routine care visit. Exhibit 4.2 shows the percentage of active duty TRICARE Prime enrollees, non-active duty TRICARE Prime enrollees, and other beneficiaries who report "usually or always" waiting more than 30 minutes. The results for MTFs and CTFs are shown separately.
- **Getting referrals to specialists**—This is the first year that the HCSDB asked respondents: "How much of a problem, if any, was it to get a referral to a specialist that you needed to see?" The percentage of respondents who replied that it was "a big problem", is shown in Exhibit 4.3 by type of health plan: TRICARE Prime (active duty and non-active duty), Standard/Extra, Medicare, or other insurance.
- Getting care that the beneficiary or a doctor "believed necessary"—The survey also asked: "How much of a problem, if any, was it to get the care you or a doctor believed necessary?" The percentage of respondents who replied that it was "a big problem", is shown by type of health plan in Exhibit 4.4.

#### **Key Findings**

#### **Waiting Times**

- Access to well care is generally high for TRICARE Prime enrollees. At least 90 percent of TRICARE Prime enrollees received well-patient appointments at MTFs within 4 weeks in all catchment areas where rates could be reliably estimated.
- Twenty-two percent of active duty TRICARE Prime enrollees in Region 12 reported "usually or always" waiting 30 minutes or more past the appointed time at a MTF. Among active duty enrollees, long waits at MTFs were rarest at Hickam AFB (12 percent).

#### **Access to Health Care**

- TRICARE Prime enrollees in Region 12, both active duty (16 percent) and non-active duty (13 percent), reported having a "big problem" getting referrals to specialists more often than did beneficiaries with Medicare (6 percent) or "other insurance" (5 percent). Prime enrollees in Region 12 reported fewer "big problems" than did their active duty (27 percent) and non-active duty (20 percent) peers in CONUS MHS.
- Seven percent of active duty and 5 percent of non-active duty TRICARE Prime enrollees in Region 12 reported a "big problem" getting needed care. Problem rates for active duty enrollees ranged from 0 percent at USCG Clinic Honolulu to 10 percent at NMCL Pearl Harbor.

# 4.1 Waiting Period for Well-Patient Visits, by Enrollment Status and Type of Facility

Q.77a: How many weeks did you usually have to wait between the time you made an appointment for care and the day you actually saw the provider...for a well-patient visit, such as a physical?

	Percent of Population								
Catchment Area (DMIS Code)	Population	Enr	olled in Prin	ne under ag	e 65	Not Enrolled in Prime			
		Active	Active Duty Non-Active Du		tive Duty	Under age 65		Age 65 or over	
		MTF	CTF	MTF	CTF	MTF	CTF	MTF	CTF
Tripler AMC (0052)	54,475	94.3	**	93.7	88.3	87.9	86.2	94.6	94.6
NMCL Pearl Harbor (0280)	6,798	90.1	**	**	**	**	**	**	**
Hickam AFB (0287)	5,779	95.7	**	93.4	**	**	**	**	**
USCG Clinic Honolulu (7043)	522	**	**	**	**	**	**	**	**
Out of catchment area (9912)	2,516	**	**	**	96.2	**	86.5	**	100.0
Region 12	70,090	93.4	**	93.7	90.4	88.1	86.2	93.7	95.4
CONUS MHS	4,087,446	91.6	89.1	91.1	90.1	82.1	88.9	86.6	91.8

#### Population:

Beneficiaries who received care at a MTF or CTF in the past 12 months

#### What the exhibit shows:

- If TRICARE Prime enrollees are more likely than other beneficiaries to get well-patient visits within 4 weeks
- If waiting time for a well-patient visit varies by enrollment status or age
- If well-patient visits at MTFs are more likely to be available within 4 weeks compared with CTFs
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates that value is suppressed because of insufficient sample size

#### Findings

The proportion of Region 12 beneficiaries who reported getting well-patient visits to MTFs within the 4-week TRICARE standard varied little by beneficiary group, ranging from 88 percent of non-Prime beneficiaries under age 65 to 94 percent of non-active duty Prime enrollees and non-Prime beneficiaries age 65 or over. Ninety-three percent of active duty enrollees were seen at MTFs within 4 weeks.

At least 90 percent of TRICARE Prime enrollees were seen within 4 weeks at MTFs in all catchment areas (with large enough samples for a reliable estimate).

# 4.2 Waiting More Than 30 Minutes in Doctor's Office or Clinic, by Enrollment Status and Type of Facility

Q.74: What type of facility did you go to most often for health care, or advice on health care?

Q.83: How often did you wait in the doctor's office or clinic more than 30 minutes past your appointment time for routine care?

			Population	on						
Catchment Area (DMIS Code)	Population	Enr	olled in Prin	ne under age 65			Not Enrolled in Prime			
		Active Duty		Non-Active Duty		Under age 65		Age 65 or over		
		MTF	CTF	MTF	CTF	MTF	CTF	MTF	CTF	
Tripler AMC (0052)	68,393	22.1	**	16.3	**	34.1	6.1	9.3	2.3	
NMCL Pearl Harbor (0280)	8,490	23.6	**	**	**	**	**	**	**	
Hickam AFB (0287)	7,027	11.7	**	15.7	**	**	**	**	**	
USCG Clinic Honolulu (7043)	705	**	**	**	**	**	**	**	**	
Out of catchment area (9912)	3,457	**	**	**	17.5	**	20.1	**	**	
Region 12	88,072	21.5	**	16.2	14.6	35.1	8.1	**	4.6	
CONUS MHS	5,057,820	24.0	29.2	18.3	24.1	24.9	18.4	10.2	14.3	

#### Population:

Beneficiaries who received care at a MTF or CTF in the past 12 months

#### What the exhibit shows:

- If TRICARE Prime enrollees are more likely than other beneficiaries to wait more than 30 minutes for routine scheduled appointments
- If beneficiaries are more likely to wait more than 30 minutes for scheduled appointments at MTFs compared with CTFs
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

The proportion of Region 12 beneficiaries who "usually or always" waited more than 30 minutes past a scheduled appointment at a MTF did not vary significantly by beneficiary group, ranging from 16 percent of non-active duty enrollees to 35 percent of non-Prime beneficiaries under age 65. Twenty-two percent of active duty enrollees reported long waits at MTFs.

Among active duty enrollees, long waits were reported least often at Hickam AFB (12 percent).

# 4.3 Problems Getting Referrals to Specialists, by Type of Health Plan

Q.50: Which health care plan did you use most in the last 12 months?

Q.53: In the last 12 months, did you or a doctor think you needed to see a specialist?

Q.54: How much of a problem, if any, was it to get a referral to a specialist that you needed to see?

		Percent reporting a "big problem"								
Catchment Area (DMIS Code)	Population	Active duty, Prime under age 65	Non-active duty, Prime under age 65	Standard/ Fytra	Medicare, age 65 or over	Other insurance				
Tripler AMC (0052)	32,423	15.9	13.3	**	**	3.9				
NMCL Pearl Harbor (0280)	3,778	15.0	**	**	**	**				
Hickam AFB (0287)	2,790	**	9.8	**	**	**				
USCG Clinic Honolulu (7043)	261	**	**	**	**	**				
Out of catchment area (9912)	1,721	**	**	**	**	**				
Region 12	40,972	16.1	13.1	**	5.7	4.9				
CONUS MHS	2,689,886	26.5	19.5	13.5	3.8	4.9				

#### Population:

Beneficiaries who needed to see a specialist in the past 12 months

#### What the exhibit shows:

- If beneficiaries are more likely to report a big problem getting specialty referrals in some health plans compared with other health plans
- If specialty referrals are a greater problem in certain catchment areas compared with the region overall
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

"Big problems" getting specialty care in Region 12 varied widely by type of health plan, ranging from 5 percent of beneficiaries with "other insurance" to 16 percent of active duty Prime enrollees. Thirteen percent of non-active duty enrollees reported "big problems".

Prime enrollees in Region 12 reported fewer "big problems" than their active duty and non-active duty peers in CONUS MHS (27 percent and 20 percent, respectively).

Samples were not large enough to report reliable estimates for most catchment areas.

# 4.4 Problems Getting Necessary Care, by Type of Health Plan

Q.50: Which health plan did you use most in the last 12 months?

Q.59: How much of a problem, if any, was it to get the care you or a doctor believed necessary?

		Percent reporting a "big problem"				
Catchment Area (DMIS Code)	Population	Active duty, Prime under age 65	Non-active duty, Prime under age 65	Standard/ Extra	Medicare, age 65 or over	Other insurance
Tripler AMC (0052)	62,372	6.2	4.7	5.0	2.9	1.3
NMCL Pearl Harbor (0280)	8,136	9.8	**	**	**	**
Hickam AFB (0287)	6,650	5.8	8.1	**	**	**
USCG Clinic Honolulu (7043)	601	0.0	**	**	**	**
Out of catchment area (9912)	2,923	**	**	±*	4.1	5.6
Region 12	80,682	6.9	5.3	5.5	3.0	2.0
CONUS MHS	4,646,651	12.6	10.3	7.4	3.0	2.8

#### Population:

Beneficiaries who received care at a MTF or CTF in the past 12 months

#### What the exhibit shows:

- If beneficiaries are more likely to report a "big problem" getting care in some health plans compared with other plans
- If getting care is a greater problem in certain catchment areas compared with others

#### Double Asterisks (\*\*):

Indicates that value is suppressed because of insufficient sample size

#### Findings:

"Big problems" getting "necessary care" in Region 12 ranged from 2 percent of beneficiaries with "other insurance" to 7 percent of active duty Prime enrollees. Five percent of non-active duty enrollees reported "big problems".

"Big problems" for Prime enrollees in Region 12 were rarer than "big problems" for their CONUS MHS peers (13 percent of active duty enrollees, 10 percent of non-active duty enrollees).

The proportion of active duty enrollees reporting a "big problem" ranged from 0 percent at USCG Clinic Honolulu to 10 percent at NMCL Pearl Harbor.



### **Health Status and Health Care Use**

This chapter documents HCSDB findings on MHS beneficiaries' physical and mental health and presents summary data on emergency room use and use of military pharmacies to fill civilian prescriptions.

- Physical and Mental Health Status—The HCSDB incorporated questions from the SF-12, a widely used instrument for measuring physical and mental health status. In the SF-12, high scores are associated with better health. Exhibit 5.1 presents the proportion of people whose physical or mental health is worse than average. This means that if the reported proportion of beneficiaries in the exhibit is less than 50 percent, the reader can infer that the study population is, on average, healthier than the general U.S. population.
- Emergency Room (ER) Utilization—ER use is often viewed as an indicator of poor access to routine care. This exhibit shows the percentage of MHS beneficiaries who reported at least one visit to a military or civilian emergency room in the past 12 months. Findings for active duty TRICARE Prime enrollees, non-active duty TRICARE Prime enrollees, and all other Region 12 beneficiaries are presented by the type of facility (MTF or CTF). (See Exhibit 5.2).
- Military Pharmacies and Civilian Prescriptions—Earlier surveys have found that a substantial portion of MHS beneficiaries use military pharmacies to obtain prescriptions drugs that were ordered by a civilian provider. This year, the analysis focuses on those with higher usage, that is, the percentage of the population who had a military pharmacy fill at least seven prescriptions ordered by a civilian provider (see Exhibit 5.3).

#### **Key Findings**

#### Physical and Mental Health

Beneficiaries in Region 12 are in similar physical and better mental health compared with the general U.S. population. Approximately half of Region 12 beneficiaries scored below the 50th percentile of the U.S. population in physical health (48 percent). Fewer than half had low mental health scores (35 percent). Mental health scores did not vary significantly among catchment areas. Beneficiaries living out of catchment area are in significantly better physical health (39 percent) than their peers in Region 12 and the U.S. population.

#### **Emergency Room Use**


TRICARE Prime enrollees in Region 12, both active duty (4 percent) and non-active duty (6 percent) were less likely to have a CTF emergency room visit than were their peers in CONUS MHS (6 percent and 10 percent, respectively), though their MTF emergency room use was similar. Among non-active duty enrollees, those at AMC Tripler were most likely to have a MTF emergency room visit (25 percent).

#### **Use of Military Pharmacies**

■ In Region 12, retirees, survivors and dependents age 65 or over (12 percent) and under age 65 (8 percent) were the beneficiary groups most likely to have filled 7 or more civilian prescriptions at military pharmacies. The 65 and over group was less than half as likely to rely on military pharmacies to fill civilian prescriptions as their peers in CONUS MHS (27 percent).

# 5.1 Physical and Mental Health Status of Beneficiaries in Region 12 Relative to the U.S. Population

This chart presents a composite result derived from responses to questions 105 through 111, which relate to general physical and mental health. These scores are age-adjusted.



#### Population:

All beneficiaries

#### Sample size:

3,562

#### Vertical axis:

Percent of the adult MHS population whose physical or mental health score (adjusted for age) is below the 50<sup>th</sup> percentile score for the overall adult U.S. population

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### What the exhibit shows:

- How the overall physical and mental health status of Region 12 catchment area beneficiaries compares with that of the general U.S. population
- How the physical and mental health of MHS beneficiaries varies across catchment areas

#### Findings:

In Region 12 overall, 48 percent of beneficiaries scored below the 50<sup>th</sup> percentile for physical health in the U.S. Thirty-five percent of beneficiaries scored below the 50<sup>th</sup> percentile for mental health.

Significantly fewer than half (39 percent) of beneficiaries residing out of catchment area scored below the 50<sup>th</sup> percentile in physical health.

Low mental health scores varied little among catchment areas.

# 5.2 Population with One or More Visits to a Military or Civilian Emergency Room, by Enrollment Status

Q.11: How many times did you go to a military emergency room to get care for yourself? Q.13: How many times did you go to a civilian emergency room for your own care?

		Percent of Population							
Catchment Area (DMIS Code)	Population	Enrolled in Prime under age 65				Not Enrolled in Prime			
		Active Duty Non		Non-Active Duty		Under age 65		Age 65 or over	
		MTF	CTF	MTF	CTF	MTF	CTF	MTF	CTF
Tripler AMC (0052)	152,983	22.5	3.2	25.4	6.3	13.2	14.0	**	**
NMCL Pearl Harbor (0280)	19,868	16.7	4.5	**	**	**	**	**	**
Hickam AFB (0287)	15,427	16.8	3.1	18.5	1.4	**	**	**	**
USCG Clinic Honolulu (7043)	1,515	**	3.4	**	**	**	**	**	**
Out of catchment area (9912)	7,865	**	**	3.9	**	1.2	9.0	1.6	**
Region 12	197,657	20.5	3.5	24.0	5.8	11.9	13.5	**	11.3
CONUS MHS	11,163,792	20.0	5.7	21.2	9.6	6.0	17.7	6.2	20.7

#### Population:

All beneficiaries

#### What the exhibit shows:

- If TRICARE Prime enrollees are more likely to use an emergency room compared with other beneficiaries
- If use of MTF emergency rooms is greater than use of CTF emergency rooms
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

In Region 12 overall, 21 percent of active duty and 24 percent of non-active duty enrollees reported using a MTF emergency room at least once in the last 12 months. CTF use by active duty (4 percent) and non-active duty (6 percent) enrollees was significantly less than that of their peers in CONUS MHS (6 percent and 10 percent, respectively).

Non-active duty enrollees at Tripler AMC were most likely to have a MTF emergency room visit (25 percent), compared to their peers in Region 12..

# 5.3 Use of Military Pharmacies to Fill Prescriptions Written by a Civilian Provider, by Type of Beneficiary

Q.14: How many prescriptions did you have that were written by a civilian provider but were filled with a military pharmacy?

		Percent filling 7 or more civilian prescriptions					
Catchment Area (DMIS Code)	Population	Active Duty under age 65	Dependents of Active Duty, under age 65	Retirees, Survivors, and Dependents, under age 65	Retirees, Survivors, and Dependents, age 65 or over		
Tripler AMC (0052)	76,510	1.6	4.3	9.1	**		
NMCL Pearl Harbor (0280)	9,934	0.3	**	**	**		
Hickam AFB (0287)	7,746	3.1	3.2	2.4	**		
USCG Clinic Honolulu (7043)	731	0.0	**	**	**		
Out of catchment area (9912)	3,899	**	**	6.0	8.8		
Region 12	98,821	1.4	4.2	8.4	12.3		
CONUS MHS	5,569,364	2.2	6.2	10.8	27.4		

#### Population:

All beneficiaries

#### What the exhibit shows:

- If beneficiaries in some catchment areas have filled
   7 or more civilian prescriptions in military pharmacies
- If some groups of beneficiaries are more likely to fill civilian prescriptions at military pharmacies
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

In Region 12 overall, 12 percent of retirees, survivors, and dependents age 65 and over filled at least 7 civilian prescriptions at a military pharmacy, as did 8 percent of retirees, survivors and dependents under age 65.

Among the 65 and over group, relying on military pharmacies for civilian prescriptions was less than half as common in Region 12 as in CONUS MHS (27 percent).

PAGE IS INTENTIONALLY LEFT BLANK TO ALLOW FOR DOUBLE-SIDED COPYING.

# Chapter 6

## **Use of Preventive Services**

This chapter analyzes a series of survey questions that asked MHS beneficiaries to report their use of selected preventive services: prenatal care in the first trimester of pregnancy, breast and cervical cancer screening, flu shots among the elderly, and screening for hypertension and prostate disease.

- The findings for MHS beneficiaries are compared with the federal government's Healthy People 2000 goals for improving the nation's health (see Healthy People 2000 Review 1997, DHHS Publication No. PHS 98-1256). In the bar graphs, the Healthy People 2000 goals are indicated by hatched lines; findings for Region 12 overall are indicated by solid lines.
- Exhibits 6.1, 6.2, and 6.5, show how use of prenatal care, screening for breast cancer, and flu shots varies by catchment area. Exhibits 6.3, 6.4, and 6.6 show results for cervical cancer, hypertension, and prostate disease screening for active duty Prime enrollees, non-active duty Prime enrollees, and all other beneficiaries. Since national goals for prostate disease screening have not been established, the findings can be assessed with respect to the American Cancer Society recommendation that men age 50 and over be screened annually for prostate disease.


#### **Key Findings**

- Most catchment areas, for which reliable rates could be estimated, met or exceeded Healthy People 2000 goals for prenatal care, breast and cervical cancer screening, hypertension screening, and flu immunization.
- Ninety-three percent of pregnant women reported first trimester prenatal care. Only Tripler
   AMC (92 percent) had a large enough sample for a reliable catchment-specific estimate.
- Breast cancer screening rates were 87 percent at Tripler AMC and 80 percent out of catchment area, exceeding the Healthy People 2000 goal of 60 percent at the only sites with large enough samples to estimate rates reliably.
- In all catchment areas where Pap smear rates could be reliably estimated, rates for women enrolled in TRICARE Prime met or exceeded the Healthy People 2000 goal of 85 percent. One hundred percent of active duty women at Hickam AFB reported receiving Pap smears.

- The proportion of TRICARE Prime enrollees who were tested in the past two years and knew whether their blood pressure was high ranged from 87 percent of active duty enrollees with military PCMs at NMCL Pearl Harbor to 99 percent of non-active duty enrollees with civilian PCMs living out of catchment area.
- Beneficiaries at both sites for which rates could be estimated reliably exceeded the Healthy People 2000 flu immunization goal of 60 percent. Flu shot rates were 72 percent at Tripler AMC and 66 percent out of catchment area.
- Among men age 50 or over, prostate screening rates in Region 12 ranged from 40 percent of non-Prime beneficiaries under age 65 to 65 percent of non-Prime beneficiaries age 65 or over. Sixty-four percent of non-active duty enrollees were screened.

# 6.1 Timing of First Prenatal Care

Q.31: When during your pregnancy did you first begin receiving prenatal care from a doctor or other health care professional?



#### Population:

Female beneficiaries, age 18 and over, who reported being pregnant "now" or in the past 12 months

#### Sample size:

93

#### Vertical axis:

Percent who had prenatal care in their first trimester of pregnancy

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### What the exhibit shows:

- The percent of pregnant women who had a prenatal visit during their first trimester of pregnancy
- If access to prenatal care varies by catchment area
- If Region 12 catchment areas meet the Healthy People 2000 goal that at least 90 percent of pregnant women get care in their first trimester


#### Findings:

Ninety-three percent of pregnant women in Region 12 reported first trimester prenatal care, exceeding the Healthy People 2000 goal of 90%.

The sample was large enough only at Tripler AMC (92 percent) to report a reliable catchment-specific estimate.

# 6.2 Breast Cancer Screening in the Past 2 Years

Q.29b: When was the last time your breasts were checked by mammography or other x-ray like procedure?



#### Population:

Female beneficiaries age 50 and over

#### Sample size:

219

#### Vertical axis:

Percent who reported having "mammography or other x-ray like procedure" in the past 2 years

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### What the exhibit shows:

- The percent of women age 50 or over who had a mammogram or other x-ray like procedure for breast cancer screening in the past two years
- If Region 12 catchment areas meet the Healthy People 2000 goal that at least 60 percent of women age 50 and over have been screened for breast cancer in the past two years
- How findings vary across catchment areas

#### Findings:

In Region 12 overall, 86 percent of women age 50 and over were screened for breast cancer in the previous two years.

Breast cancer screening rates were 87 percent at Tripler AMC and 80 percent out of catchment area, the only sites with large enough samples to report reliable estimates. Both exceeded the Healthy People 2000 goal of 60%.

# 6.3 Cervical Cancer Screening in the Past 3 Years, by Enrollment Status

Q.28: When did you last have a routine female examination with a Pap smear?

		Percent of Population						
Catchment Area (DMIS Code)	Population	Enrolle	ed in Prime under	Not enrolled in Prime				
, ,		Active Duty Military PCM	Non-Active Duty Military PCM	Non-Active Duty Civilian PCM	Under age 65	Age 65 or over		
Tripler AMC (0052)	39,626	95.9	95.8	91.6	82.7	78.0		
NMCL Pearl Harbor (0280)	2,215	98.8	**	**	**	**		
Hickam AFB (0287)	3,825	100.0	96.2	**	**	**		
USCG Clinic Honolulu (7043)	104	**	**	**	**	**		
Out of catchment area (9912)	2,041	**	**	92.5	83.9	74.0		
Region 12	47,812	97.0	95.8	91.8	82.8	77.5		
CONUS MHS	2,635,949	96.5	93.3	92.4	85.6	85.4		

#### Population:

Female beneficiaries age 18 and over

#### What the exhibit shows:

- The percent of women who have been screened for cervical cancer in the past 3 years
- If some groups of women are more likely than others to be screened
- If Region 12 catchment areas meet the Healthy People 2000 goal that at least 85 percent of women have had a pap smear in the past 3 years
- How findings vary across catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

In Region 12 overall, the proportion of women with a Pap smear in the past 3 years ranged from 78 percent of non-Prime female beneficiaries age 65 or over to 97 percent of active duty female enrollees with military PCMs.

In all catchment areas (with large enough samples for a reliable estimates) screening rates for TRICARE Prime enrollees exceeded the Healthy People 2000 goal of 85 percent.

Screening rates among active duty women reached 100 percent at Hickam AFB.

# 6.4 Hypertension Screening in the Past 2 Years, by Enrollment Status

Q.17a: When did you last have a blood pressure reading? Q.17b: Do you know if your blood pressure is too high or not?

		Percent of Population					
Catchment Area (DMIS Code)	Population	Enrolle	d in Prime under	Not enrolled in Prime			
		Active Duty Military PCM	Non-Active Duty Military PCM	Non-Active Duty Civilian PCM	Under age 65	Age 65 or over	
Tripler AMC (0052)	76,029	91.2	92.3	91.7	87.7	97.0	
NMCL Pearl Harbor (0280)	9,830	86.8	**	**	**	**	
Hickam AFB (0287)	7,491	92.8	95.4	**	**	**	
USCG Clinic Honolulu (7043)	757	93.1	**	**	**	**	
Out of catchment area (9912)	3,835	**	**	98.7	91.1	90.4	
Region 12	97,941	90.4	92.7	93.9	88.1	96.0	
CONUS MHS	5,580,883	90.1	91.4	94.0	90.4	95.7	

#### Population:

All beneficiaries

#### What the exhibit shows:

- Percent of beneficiaries who had a blood pressure reading in the past 2 years and know if their blood pressure is too high
- If some groups of MHS beneficiaries are more likely than others to be aware of their risk for hypertension
- If Region 12 catchment areas meet the Healthy People 2000 goal for hypertension screening of 90 percent
- How findings vary by catchment area

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size


#### Findings:

The proportion of Region 12 beneficiaries who were tested in the previous 2 years and knew if their blood pressure was too high ranged from 88 percent of non-Prime beneficiaries under age 65 to 96 percent of non-Prime beneficiaries age 65 and over. The active duty rate was 90 percent.

Hypertension screening rates among TRICARE Prime enrollees ranged from 87 percent of active duty enrollees with military PCMs at NMCL Pearl Harbor to 99 percent of non-active duty enrollees with civilian PCMs residing out of catchment area.

# 6.5 Flu Shots Among Population Age 65 and Over in the Past 12 Months

#### Q.19: When did you last have a flu shot?



#### Population:

Beneficiaries age 65 and over

#### Sample size:

141

#### Vertical axis:

Percent who had a flu shot less than 12 months ago

#### Horizontal axis:

All catchment areas

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### What the exhibit shows:

- The percent of beneficiaries age 65 and over who had a flu shot in the past 12 months
- If some catchment areas are more likely than others to provide flu shots to beneficiaries age 65 or older
- If Region 12 catchment areas meet the Healthy People 2000 goal that 60 percent of persons age 65 or over get an annual flu shot

#### Findings:

In Region 12 overall, 72 percent of beneficiaries age 65 and over had a flu shot in the past 12 months.

Only Tripler AMC (72 percent) and beneficiaries living out of catchment area (66 percent) had large enough samples to produce reliable estimates. Both achieved the Healthy People 2000 flu shot goal of 60 percent.

# 6.6 Prostate Disease Screening in the Past 12 Months, by Enrollment Status

Q.27: When was the last time you had a prostate gland examination or blood test for prostate disease?

		Percent of Population					
Catchment Area (DMIS Code)	Population	Enrolled in Prime under age 65  Active Duty Non-Active Duty		Not enrolled in Prime			
				Under age 65	Age 65 or over		
Tripler AMC (0052)	10,423	**	66.7	38.8	68.2		
NMCL Pearl Harbor (0280)	43	**	**	**	**		
Hickam AFB (0287)	472	**	**	**	**		
USCG Clinic Honolulu (7043)	0	**	**	**	**		
Out of catchment area (9912)	1,630	**	**	48.9	47.2		
Region 12	12,568	**	64.0	40.4	64.8		
CONUS MHS	1,604,826	50.9	58.9	58.5	75.1		

#### Population:

Male beneficiaries age 50 and over

#### What the exhibit shows:

- Percent of men age 50 and over who had a prostate exam in the past 12 months
- How the findings vary by enrollment status
- If some catchment areas are more likely than others to screen men for prostate disease

#### Double Asterisks (\*\*):

Indicates the value is suppressed because of insufficient sample size

#### Findings:

The American Cancer Society recommends annual screening for prostate disease for men age 50 and over.

Prostate screening rates ranged from 40 percent of non-Prime male beneficiaries under age 65 to 65 percent of non-Prime male beneficiaries age 65 and over. Sixty-four percent of non-active duty Prime enrollees received screening.



# **Performance Improvement Plan**

This chapter presents a performance improvement plan (PIP) for each catchment area. In summarizing the satisfaction questions in the 1998 HCSDB, the purpose of the PIP is to identify: (1) the key aspects of services or care that most influence beneficiary satisfaction in the region and (2) those aspects that need to be improved in order to increase beneficiary satisfaction.

Each point in the exhibits represents one of the questions about satisfaction with military health care, Questions 100 a-s. For example, point H represents beneficiary satisfaction with the length of the wait in the provider's office, as indicated by the key to the right of the plot. The "importance" score in the figure (Y-axis) is the correlation of overall satisfaction with ratings of these individual aspects of health care. (A correlation was developed for each item). For example, the correlation for office waiting time would indicate how "important" office waiting time is in determining the respondent's overall satisfaction with military care. The closer a point is to the top of the exhibit, the more important the item is to overall satisfaction with military health care.


Services above the horizontal line, in the middle of the exhibit, are of greater importance to beneficiaries than those below the horizontal line, and they are noteworthy for their contribution to overall satisfaction. Services that beneficiaries are less satisfied with lie to the left of the vertical line, and those they are more satisfied with lie to the right of the line.

#### The quadrants may be interpreted as follows:

- Top priority improvement opportunities are in the top left quadrant. These aspects of health care should receive top priority for improvement because they are the ones with which beneficiaries are relatively dissatisfied and are important to overall satisfaction. These areas offer the greatest potential for increasing overall beneficiary satisfaction.
- Top priority aspects of care to maintain are in the top right quadrant. These are aspects of health care with which beneficiaries are relatively satisfied and that are important to overall satisfaction. These current levels of care in these areas should be maintained.
- Secondary priority improvement opportunities are in the bottom left quadrant. These aspects of health care may need to be improved because beneficiaries are dissatisfied with them, but the priority for attending to them is relatively low because they are not especially important to overall satisfaction.
- Secondary priority improvement opportunities are in the bottom right quadrant. These are aspects of health care with which beneficiaries are relatively satisfied but are not especially important to overall satisfaction. To the extent that these aspects of care meet beneficiaries' expectation, they should be maintained at their current level, but because they have relatively less to do with overall satisfaction, they can receive secondary priority.


## 7.1 Performance Improvement Plan, Tripler AMC

Bold items in the key to the right of this PIP identify aspects of military health care at Tripler AMC that need remedial attention. This means that these aspects of care are important to overall beneficiary satisfaction but received relatively low satisfaction scores. The items fall into two categories: (1) access to system resources and appointments [items A - K] and (2) quality of care [items L - S].




# 7.2 Performance Improvement Plan, NMCL Pearl Harbor

Bold items in the key to the right of this PIP identify aspects of military health care at NMCL Pearl Harbor that need remedial attention. This means that these aspects of care are important to overall beneficiary satisfaction but received relatively low satisfaction scores. The items fall into two categories: (1) access to system resources and appointments [items A - K] and (2) quality of care [items L - S].



## 7.3 Performance Improvement Plan, Hickam AFB

Bold items in the key to the right of this PIP identify aspects of military health care at Hickam AFB that need remedial attention. This means that these aspects of care are important to overall beneficiary satisfaction but received relatively low satisfaction scores. The items fall into two categories: (1) access to system resources and appointments [items A – K] and (2) quality of care [items L – S].



# 7.4 Performance Improvement Plan, USCG Clinic Honolulu

Bold items in the key to the right of this PIP identify aspects of military health care at USCG Clinic Honolulu that need remedial attention. This means that these aspects of care are important to overall beneficiary satisfaction but received relatively low satisfaction scores. The items fall into two categories: (1) access to system resources and appointments [items A - K] and (2) quality of care [items L - S].

